

DWG 50600 REV C1 ULTRA SLEEVE SUBMITTAL

1. ULTRA SLEEVE CASTING IS ANSI/NSF-61 EPOXY

2. GASKETS (NOT SHOWN) ARE ANSI/NSF 61 NBR 3. HARDWARE (NOT SHOWN) ARE FLUROPOLYMER 4. REFER TO INDIVIDUAL PRODUCT LABEL FOR

PRESSURE RATING AND TORQUE REQUIREMENTS

6. FOR SPECIFIC PROJECT APPLICATIONS, PLEASE **CONTACT TPS FOR MORE INFORMATION**

" DIM	"B" DIM	"C" DIM	"D" DIM	"E" DIM			
12.7	10.0	17.25	11.0	8.0			
5.25	12.5	17.25	11.0	10.0			
7.25	15.0	17.25	11.0	12.5			
20.5	18.0	18.0	11.25	15.25			
20.9	18.5	19.0	13.4	15.9			
20.9	18.5	19.0	13.4	15.9			
3.25	20.5	19.0	13.4	18.13			
3.25	20.5	19.0	13.4	18.13			

TOTAL PIPING SOLUTIONS INC. P.O. BOX 525, OLEAN, N.Y. 14760

ULTRA- Sleeve Submital Drawing

ze 3	CAGE	CODE	DWG NO 506	00	^{REV}		
ALĒ	1:10	WEIGH	Т	SHEET 1 OF 1			
Wednesday, August 17, 2022 1:56:06 PM							

N:\Product Engineering Part Drawings\Bell & Spigot Joint Coupling\Wide_Range Sleeve\Engineering Documents\SUBMITTAL DRAWING\